

## **Custom Templates and Card Files**

#### **Faster and Easier Record Entry**

#### **Better Data Organization with Card Files**

**Rod Fortson – Sr. XA Consultant** 

Rod.fortson@cistech.net

October 25, 2011





## **Agenda for Today**

- What is a template and how is it used?
- What is a card file?
- What is the relationship between a template and card files?
- Card Organization & Personalized Cards
- Ten Commandments for customization





A template is used to design a "create" prompt for new records.

Templates can bring default values into specific fields when adding new records.

You can have multiple versions of the template in any object/file if needed.

#### In R7 and R9 there are:

- Create templates
- Change templates
- Copy templates.

Preset Values and default data in an XA Biz Object



To speed up data entry & file maintenance
To set specific values in your Object without intervention from the User
To set the most common value normally used in a field in an Object
To make sure you have a 'valid value' being entered during file maintenance



#### What is a template?



#### Templates are located under the "Maintain" menu option.

🖂 (R7) Iten Revi	sions										_O×
File Dispay	Maintain Clistomize Navigation H	lelp									
General	- Cristi	Insert		) ۱ <u>/</u> ا	위 🖻	2 3 2	e 12   33		¥ 🖌 🕺	<b>X</b>	
	🧷 Change									-	
🛞 Item Re	🖉 Quick Change										
	러 Delete	Delete									
Item 🗠	B Conv		i 🖄	Class	I/T	Drawing n	Stk	Val	Location	Dept	
AA145530				PR	2	300390	EA	A	1111	TT	<b></b>
AAT45530 AAT45530	25 Release			IFA IFA	2	2	IEA IFA	IR I	1	9203	
AA145530	🥟 Mass Change			FA	2	2	ĒA	R	1	9203	
AA145530	📲 Mass Delete			FA	2	2	EA	B	1	MIX	
AAT45530	🎥 Mass Indented Copy								10	9203	
AC CARB	😕 Mass Release		m	02	4	A100	LB	ľa –	10	MIX	
AC_TRAIT	🗞 Enterprise Item options	•		02	4		EA	A		MIX	
ALP IR	Implementation Status options	•		02	4	A200					
AM 110	# Site ontions			02	4	C1	IÉA -	A		MIX	
AM 220				02	4		EA				
ARM66762				62			IEA				
ARM66762	👷 vendor options		l	02	4		IÉA				
A000100D	Bill of Material options	•	AAA	Al			LB	A		MIX	
A000100P	Kaltem Process options	•		A	1	5		B		MIX	
A000100P	Routing options	•			0		IB				
A0102( D	🖾 Customer Items options	•	AAA	AI	3		ĹВ				
A01050W	Templates	Þ	Cre	ate Templ	ates		LB				
A1204000	IOnion 1100		Cor	y Templat	es		ILB				
A210100C	Cheese 100	AA	Cha	ande Temr	lates		ĹВ				
A220300E	Dried Eggs 100			ngo romp Taï	Lä.		LB				
A240100M A290CHES	Margarine 100 Spices 100				3		ILB				

Each Business Object allowing File Maintenance will have a place for you to establish Templates . Maybe you need a template for creating only Raw Materials in the Item Revision File

#### What is a template?



You can tie the template to your custom card file; use different card files with different templates when needed.

0	(AC) Infor ERP XA Power-Link	
F	ile Customize Navigation Help	
1	ABCS_Default	Infor EDD ye
	ABCS All Item Raw Material Items S b-Assembly Items Finished Good Phantom Items Item Warehouses FG Item WH's Sub Assembly Item WH's	ABCS_Engineering ABCS_Materials Mgmnt ABCS_Finance ABCS_Production
ſ	(AC) Item Preferences	ABCS_AutoRelease
	Workspace List Card File Template Find Broadcast	Environment
П	Create template	<u>S</u> ettings
	A_Raw Material	Integrator
	Copy template	
	(public preference)	
	Change template	
	(public preference)	
	Continue Cancel Help	
	ABCS_PDM Plus Enterprise PDM Codes	

Each Object on any of your Custom Cards can have
 specific Template Preferences – in this example – the
 create template would default Raw and Purchased
 defaults into the Item Revision fields.

### What is a Template?



You can set default values for 'Return here to create another' and 'Preview before create'.
(AA) Template definition

# There are also settings, per field, for: Position Cursor Retain Value

Default Value

(AA) Template definition	X
Item type	Character (1A)
Usage	
Provide default value only	•
Default value	
Specific      Preference	Related
3 = Raw material	•
Prompt options	
Retain previous value	
Position cursor	
0 🗘 Number of indents	
Label	Item type
Content	Alias 💌
Default visual control	Drop down list 🔻
Continue Cancel Helr	

### **Creating a Template**



- Give public templates a name that is clear to users.
- 80-20 Rule Add each field that is almost always the same and enter the default value with ability to change if needed.
- Add other fields that you want the user to populate with a required value. Being on the create screen will highlight it's importance.
- Set in Preferences for Object. Select card file that template should open when you click CREATE.
- If desired, check "Return here to create another."



### Creating a template



- USAGE of each field can be set to:
  - "Prompt for value only" which means field will be blank and you must fill in the value. Attribute appears on create screen as a blank.
  - "Provide default value only" means you select a value that is always the same. Attribute <u>does not</u> appear on create screen.
  - "Prompt for value and provide default value" means that you are choosing a default value. But the field appears on create screen and can be changed.
- All fields to be on create screen will be checked.



#### **Selecting the fields for your Data Entry Template**







#### Creating a template – Field Options



- POSITION CURSOR can be set for the cursor to fall on this field on the create screen.
- LABEL allows changing what the attribute is called on the create screen.
- DEFAULT VISUAL CONTROL can change the format of the attribute. Example: from dropdown to radio buttons.
- CONTENT lets user set whether defaulting info will show a code or a description of the code or both.
- RETAIN PREVIOUS VALUE sets the system to always keep the record information from the previous entry. Helpful to know which have been entered, but you can change to be blank, if desired.

(AC) Template definition	X
Warehouse Charact	ter (3A)
Usage	
Prompt for value and provide default value	, ▼
Default value	
Specific OPreference Related	
MRO	
Prompt options	
Retain previous value	
Position cursor	
0 🗘 Number of indents	
Label Warehous	se
Content Value	-
Default visual control Entry field	i 🔻
Continue Cancel Help	



#### **Creating a template**

• USAGE



(R7) Template definition	
Planner	Numeric (99.90
_Usage	
Provide default value only	~
Prompt for value only	
Provide default value only Prompt for value and provide	default value
11002	
Prompt options	
Retain previous value	
Position cursor	
0 🔮 Number of indents	
Label	Planner
Content	Value
Default visual control	Entry field 💊



### Creating a template



- Position attributes on create screen by "dropping & dragging" in R6 or using up/down arrows in R7 or R9.
- Tie template to appropriate custom card file Objects.
- <u>BE AWARE</u>: if your template contains a blank value and you do not populate it, it will "blank out" any value coming from other records. *Example: account number on PO item create template will blank out account information coming from the item master/item revision. Okay usually for MRO but not for production items.*





#### • New Item – Template Examples

- Item types usually have other common defaults.
   Example: Type 4 purchased parts usually also have:
  - Inventory code of 1=Inventory
  - Receipt required=Yes
  - Batch/lot
  - Purchase tax indicator= Non-taxable
  - Same site
  - Initial release to PDM = YES\*\*
  - Perhaps common item classes (example MRO)
  - Perhaps inspect on receipt.
  - Current (and standard) material-this level gives a warning message if nothing entered in the record. Trick, if desired: Set these fields in the template as \$0.00000001.





🚧 (R7) Edit Item Revision Create Template		Expe
Item Revision Create Template         Name       Domain       Security         Purchased component       Image: Security       (none)         Options       Card file       Purchased component       Initial card (system default)         Image: Card file       Purchased component       Image: Preview before create		
Available attributes     Description		
Account number Allowable days early Alpha factor Alternate item APC item (derived) Batch/lot control Bill of lading commodity code All By Object Purchased Inventory.	nt to use in your case default values f	or
Selected attributes     Description Label Default value Prompt Cursor     Site Site Yes No     Item Item Yes No     Revision Revision Yes No     Description Description Yes No     Item type Item type Purchased No No     Inventory code Inventory code Inventory No     No     Save Save as Apply     Cappel Holp		
Save Save as Apply Cancer Help		



#### Good template usage - Examples



- Item & Item Balance Maintenance Card Files
  - Entering new item warehouse records
    - Finished goods in MRP environment template:
      - Lead Time Code: M = Manufactured
      - Order Policy Code: G = Period of Supply or A= Discrete Order Quantity
      - Plan Customer Orders: 5 = Yes, after MRP start date
      - Include Inventory Balance: Yes
      - Master Schedule Item Code: = Not a master scheduled item
      - Master Level Print Code: = Always printed
      - Combine Requirements: 0 = Do not combine requirements
      - Master Level Item Code: M = Multiple source master level item



## Create Templates for Workspaces



💌 (R7) Edit Item Warehouse Create	Template						_	
Name	Domain			Securit	у			H
-Ontions				(none)				<u> </u>
Oprioris			l aerel (eustan	م وا مع حب بالحا				
Card file ((system default)			a card <u>((systen</u>	n derauit)				
Return here to create and	other	⊡ P	review before	create				
□ Available attributes								
Description	Name		Le	ngth Dat	ta type			
Authorized time tence Average ending inventory	atimi1 (Item Pla avebib	inning)		- 3.0 Nun -15.2 Nun	neric neric			
Average sales per period	avslib bfflib			15.2 Nun 1 0 Nun	neric			
Beginning inventory	bqinib			10.3 Nun	neric			
Build resource profiles Carry forward code	rsbfi1 (Item Pla cfwcib	nninq)		1 Boo 1 Boo	olean olean			
Combine requiremente	omrail (Item Pl	annina)		1 O Nun	naria			
	Set your l	tem Entry	Defaults -	- for say	y a Mfg	Item		
- Selected attributes							_	
Description	Label	Default valu	e	Prompt	Cursor	Betain	4	ъI I
V Item	Item	-		Yes	No	Yes		<u>P</u>
Y Warenouse Planner	Warenouse Planner	11002		res No	NO NO	NO Yes		비
Lead time code	Lead time code	Manufacture	) RP start data	No No	No No	Yes Yes	<u> </u>	2
Order policy code	Order policy code	Time periods	of supply	No	No	Yes		
Lead time manufacturi	. Lead time manutac	2.0		NO	NO	res	_	
	<i>r r</i>							
Save Save as	Apply	Cancel	Help					Power No. 10 P.G. Yes P.G. Yes Yes
,								A State of the second s

🗠 (R7) Change Item Revision - 000, 1000, A		
File Display Maintain Customize Navigation Help		2
Default 🔽 💴 🖉 🖆 🗋 🦯 🦯 🖉 🛍 🧠 🕲 🖆 🔄 🗑 🛃 🏹 🦉 🧭	<b>iCH</b>	
1000 PC, 166 MHZ, DESKTOP Site: 000 Enterprise Design Rev: A	Experts	8
Whs       Description         CAN       Canton         INT       In Transit Warehouse         1       Hi-tech Company - Main Whse         2       Hi-tech France         Image: Standard Costs         Image: Standard Cost Dates         Item       1000         Warehouse       Item         Item       1000         Warehouse       Item         Item       1000         Warehouse       Item         Item       1000         Warehouse       Item         Item       Standard Cost Dates         Standard Cost Dates       Standard Cost Dates         Standard Cost Dates       Standard Cost Dates         Purchasing       Vendor Performance         Sales       Shipping         User Fields       Inspection         Inspection       Inspection		
Using MFG Parts Item Warehouse template:		
<ul> <li>planning fields are populated correctly</li> <li>document control creates the item warehouse by selecting the CREATE icon on right and clicking CREATE button on create prompt (3 clicks).</li> <li>Planning and/or purchasing can add vendor lead time, etc.</li> </ul>	- SS PM	

#### Good template usage – MO's/PO's/CO's



<ul> <li>Order-based F</li> </ul>	Production Mana	gement	– new MO
🗠 (R7) Edit Manufacturing Order Create Template	<u>_</u> _×	💌 (R7) Edit Manufactu	uring Order Create Template

Manufacturing Order Create	Template					
Name	Domain		Security			
MO Entry	Public	<b>_</b>	(none)	<b>•</b>		
Options						
Card file (system default)	•	Initial card (sys	tem default)	•		
🗆 Return here to create a	nother	Preview befo	ore create			
R Available attributes						
Description	Name	Length	Data type			
Actual start date	asdtmy	7 [	Date	의 🕰		
Customer demand (derive	d) csdmmy	80 0	Character			
Department	dptnmy	4 (	Character			
Item description	eqnomy fidsmy	30 Character				
Item stock location	filemv	<u> </u>	Character	<b>T</b>		
All By Object						
□ Selected attributes						
Description	Label	Default value	Prompt Cur	sor Retain 산		
✓ Urder ✓ Item warehouse	Urder Warehouse	1	res No Yes No	No No		
✓ Item	Item		Yes No	Yes 💾		
<ul> <li>Item revision</li> <li>Total order quantity</li> </ul>	Item revision		Yes No	Yes 🗾		
<ul> <li>Due date</li> </ul>	Due date		Yes No	Yes		
	•			Þ		
Attributes Options						
Save Save as .	Apply	Cancel	Help			

Manufacturing Order Cr	eate Template				
Name	<sub>E</sub> Domain—		<sub>E</sub> Security—		
MO Entry	Public	-	(none)	-	≣
Options					
Card file (system defau	ult)	Initial card	(system defa	ault)	-
Return here to creat	e another	Preview	before creat	e	

#### □ Available attributes

	Descript	tion		Name	Le	ength	Data typ	
	Actual st Batch/lo Custome Departm ▲	tart date t er demand (deriv ent	ed)	asdtmy Ibnomy csdmmy dptnmy		7 10 80 4	Date Charact Charact Charact	<b>▲</b>
Í	All	By Object						

#### □ Selected attributes

<ul> <li>Label</li> <li>Include p</li> <li>Include p</li> <li>Create M</li> <li>Print sho</li> </ul>	rimary BOM rimary routing .O.s for configure o packet at M.O.	ed component: release	Default Yes Yes No No	Prompt Yes Yes No No	
Attributes	Options			F	
Save	Save as	Apply	Canc	el	Help

(R	7) Create Manufacturing Order	X
Γ	Template	
	Default 💌	



Order	M012880 🖷 🔍	
Warehouse		
Item		۵ 🔊
Item revision	(current) 🔽 🔍	
Standard in quantity	0.000	<b>₫</b> <del>2</del>
Total order quantity	0.000	<b>₫</b> <del>2</del>
Scheduled start date	11	<b>₽</b> ₽
Due date	11	<b>₽ ₽</b>

#### -Options-

- □ Include primary BOM
- Include primary routing
- Create M.O.s for configured components
- Print shop packet at M.O. release
- Return here to create another

Preview before create



(R7) Create Manufacturing	) Order	×
_Template		
MO Entry		- 1
Order	M012880 🕾 🔍	
Warehouse		
Item		۵
Item revision	(current) 🔽 🔍	
Total order quantity	0.000	
Due date	11	
Coptions		
Include primary f	зом	
🗵 Include primary r	outing	
Return here to cre	eate another	
Preview before cr	eate	
Create Cance	Help	

#### **Simplified entry for MO Create**

Þ



## Fields with Defaults Only



Name	mpiate	Domain-			Security	
MO Entry		Public			(none)	
Card file (system default)			Initia	I card system def	ault)	
Return here to create and	ther			(R7) Prompt option		
∃ Available attributes			1	Create M.O.s for cont	figured components	
Description	Name	Length Data type		-Usade		
Actual start date Batch/lot Customer demand (derived)	asdtmy Ibnomy	7 Date 10 Character 80 Character		Provide default	value only	
Drawind Item det Item sto will not ap	narks so pear on	15 Character 30 Character 7 Character		Default value	for configured components	
All create pro	mpt.			Load value fr	om preferences	
Selected attril				Continue	ancel Help	
Label		Default Prompt	Indents			
<ul> <li>Include printary routing</li> </ul>	una di camana papan	Yes Yes	Ő			
Print shop packet at M.C	ired componen ). release	No No	0			
Attributes Options						



#### Procurement Management – <u>PO header</u> and items

🐱 (R7) Edit Purchase Order Create Tem	plate		
Purchase Order Create Template Name Default Options Card file (system default)	Domain Public Initial Public	Card (system defa	ult)
Available attributes			
Alternate currency Apportionment Bill-to abbreviation Bill-to address 1 Bill-to address 2 Bill-to address 3 Rill-to address 4 (City) <b>All</b> By Object	acurpm apptpm bnmad1 b135d1 b235d1 b335d1 b435d1	b135d1	
□ Selected attributes			
Description         Label           ✓         Order         Order           ✓         Buyer         Buyer           ✓         Vendor         Vendor           ✓         Warehouse         Warehouse           Ship-to ID         Shit-to ID           Bill-to ID         Bill-to ID           Priority         Priority	Default value e 999 998 Unassigned	PromptCursorYesNoYesNoYesNoYesNoNoNoNoNoNoNo	Retain Yes Yes Yes Yes Yes Yes Yes Yes
Save Save as	Apply	Cancel H	elp

(R7) Create Pure	:hase Order	×
Template-		
IDeradit		
Order Buyer Vendor Warehouse	P000424 P000424 P000424	
🗆 Return he	ere to create another	
Preview b	efore create	
Create	Cancel Help	
		<u>P</u>





×

Þ

#### **Procurement Management – PO header and items**

💌 (R7) Edit Purchase Order Create Template	
Purchase Order Create Template         Name       Domain       Security         MRO PO template       Image: Public Image: Preview before create       Image: Public Image: Preview before create         Options       Image: Public Image: Preview before create       Image: Preview before create         Image: Preview before create       Image: Preview before create	(R7) Create Purchase Order
<ul> <li>Available attributes</li> <li>Description</li> <li>Alternate currency</li> <li>Apportionment</li> <li>apptpm</li> <li>Bill-to abdreviation</li> <li>bnmad1</li> <li>Bill-to address 1</li> <li>b135d1</li> <li>Bill-to address 2</li> <li>b235d1</li> <li>Bill-to address 3</li> <li>b335d1</li> <li>Bill-to address 4 (Citx)</li> <li>b/35d1</li> <li>By Object</li> <li>Selected attributes</li> </ul>	Vendor Warehouse 1 Ship-to ID 100 ■ Return here to create another Preview be Creation
Description       Label       Default value       Prompt       Cursor	



#### Procurement Management – PO and items

(R7) Edit Purchase Order Item Create Template	🚾 (R7) Edit Purchase Order Item Create Template	_ 🗆 ×
Purchase Order Item Create Template Domain Orthopedics	Purchase Order Item Create Template Domain Implants Impla	
Options         Card file (system default)         Initial card (system default)         Return here to create another         Image: Preview before create	Options       Card file (system default)       □ Return here to create another       Image: Preview before create	
Available attributes	<ul> <li>Available attributes</li> <li>Description         Apportionment         Blanket item         Charge         Charge type         Contract         Cost code     </li> <li>All By Object</li> <li>Selected attributes</li> </ul>	
Description       Label       Default value       Prompt         Order       Order       Yes       Yes         Line       Line       Yes       Yes         Warehouse       Warehouse       Yes       Yes         Account num       Account number       5207       No         Item       Item       Yes       Yes         Extended de       Extended description 1       Yes       Yes         Attributes       Options       Image: Construct of the second	Description       Label       Default value       Pro         ✓       Order       Order       Yes         ✓       Line       Line       Yes         ✓       Warehouse       Warehouse       Yes         Account num       Account number       4108       No         ✓       Item       Item       Yes         ✓       Extended description 1       Yes         ✓       Extended description 1       Yes         ✓       Extended description 1       Yes	
Save Save as Apply Cancel Help	Save Save as Apply Cancel	Help

#### **Good Template Practices - Examples**



#### Materials Management – Scheduled Receipts

- A good Receiving template with just the transactions and other necessary fields; i.e., Reference, GRN, Batch/lot, etc.
- Item Revision & Item warehouse records engineering can create w/planning codes and other values already set. Email notification when complete via NMS.
- Cycle count items sequential count template defaulting current date and counted by or assigned to.

#### Procurement Management

 Blanket release template – control whether release create screen returns with open quantity for item or is blank.





## **Questions on Templates ?**





## Power Link Card Files & Cards



## **Card Files & Cards**





## **Customize Card Files & Cards**







### **Create Custom Cards & Card Files**







## Create Templates for Workspaces



### What is a card file? Full default set



🐱 (R7) Change Item Revision	- TN, AA1455300390,		
<u>File D</u> isplay <u>M</u> aintain	<u>C</u> ustomize <u>N</u> avigation <u>H</u> elp		
Default	<u>- 986 0 / 4 76 98 56 56 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7</u>	× ×	
📿 🖓 AA1455300390 🗧	800N Cabin Air Filter Site: TN TBDN Tennessee Rev:		
Description	300N Cabin Air Filter	Item Characteristics	
Item type	Fabricated 💌		
Inventory code	Inventory	Item Processes	
Product Classification	PR = PR FILTERS	Location Control	
Value class	A	Costing Parameters	
Department	Π	Current Costs	
Item accounting class	PFD	Current Cost Dates	
Default stock location	1111	Standard Costs	
Alternate item		Standard Cost Dates	
Stocking UM	EA = Each	Vendor Performance	
Carrying rate	.000	Sales	
Country of origin	USA = United States	Shipping	
Item bitmap or icon		User Fields	
Engineer ID			
APC item			
APC item	Great for inquiry for full details – do	es	
	the User need all those fields ?		
			New Palemose R5 Pa
		E curiadam San Berlanda Harava San Berlanda Data San Angela San Berlanda	Also-malgie from on a P.D. Yes Also-malgie right's on a P.D. Yes Also-malgie right's on a P.D. Yes Also-malgie right's on a P.D. Yes Also and the state of the state of the state Yes
		FIGURE         Figure 10         Second 10         Second 10           FIGURE         Figure 10         Second 10         Second 10         Second 10           FIGURE         Figure 10         Second 10         Second 10         Second 10         Second 10           FIGURE         Figure 10         Second	nt D 0,000 L 2 13,000 R 3 1,000 R 3 1,000
		Prozeni Provinci de La Canada d	8. 2,000 8. 2,000 9. Em anoset - sponset

#### What is a card file? Custom card file



#### 🖾 (AA) Change Item - M362-202 🛛 .053 Hollow Emi Gasket

File Display Maintain Customize User Navigation Help

#### Miltope Item Entry 💿 🔊 😅 🗋 🦯 🦯 🏄 🖻 🧠 🚱 📥 📥 🗞 🔓 😵 🗗 🏹 🥳 🔛

M362-202 .053 Hollow Emi Gasket

Description	.053 Hollow Emi Gasket		-Eng Vendor Item				Miltope Item Entry.
Drawing number			Vendor Name	Vendor Item Number	Priman/Vendor Flag	RO MA	
Stocking UM	FT = Feet 💙	E	CHOMERICS I	. 10-04-21120-S6305	No	No 66	
Item type	4 = Purchased 🛛 🐱		EFFECTIVE S	46-1015-0064	No	No D	
ltem class	E98 = COMMON - TSC-750/N	ISD DOMI 🛛 💌 🔳				1	
Vendor	1 🔍 🧟					۱. ۲	
Buyer	37 🔍 🕵					Ē	
Inventory code	1 = Inventory 🔽						
Inspect on receipt	💿 Yes i 🔘 No						
Serial number required	🔿 Yes 💿 No						
Extended description 1	EFF SHIELDING/ 46-1015-0	0064					
Extended description 2	CHOMERICS/ 10-04-21120	-S6305					
Account number	1062	🖃 🔍					
Receipt required	💿 Yes 🔵 No						
Kit document print option	🔿 Yes 💿 No						
Create user Create date Change user Change date	PEAGERTON 04/05/2002 PEAGERTON 08/25/2011	Even bette Material N	er – a si ⁄lainten	ngle Com Iance	pound Car	d foi	Raw
<	IIII.		<			<u>&gt;</u>	
Update	Cancel	Help					

#### **Maximize Space – Eliminate Cards**



<mark>∞ (R7) Change Item Revision - XPS,</mark> File Display Maintain Custom	x600, nize Navigation Help						
Finished goods 🛛 👻	P 🖉 🖆 🗋 🖊 🚈 🗑 🕫	· V [E 또 는 및 F	🔨 🔨 🎘 🏂				
ng X600 Stapler, Model 600	Site: XPS Team X Produ	ction Site Rev:					
Unit cost Cost status code	Current Costs 269.60669688 Lower-level costs incons	istent with item type	Standard Co 269.606696 Lower-level o	osts 88 costs inconsistent	with item type	Litem Characteristics	
Cost Breakdown: Total material	4.64472405		4.64472	405		Sales Indented Bill of Mate	rial
Total outside operations	0.0000000		0.00000	000		Graph-M/L/O	
Total setup labor	0.0000000		0.00000	000		Graph-M/L/O Bar Graph-Overhead cos	sts
Total run labor	52.61000006		52.6100	0006		Costs & Graph	
Total manufacturing over	nead 133.80750021		133.807	50021			
Std & Current Current C	costs Current Graph	Standard Costs	Curr and Std				
		пеф					
Al start			Tell cutur Turch	C tabara t Carlo			
	Sent Items - Mic	PowerLink URL	Custom Templat	C Internet Explore	5 javaw	ੑੑੑੑੑੑ <sup>ੑ</sup> ੑ <sup>™</sup> = , 0 ™ ∧ 1 <b>2</b> ₽ ⊓	Veede overvier
							Vender 30 Address Name Priverside Tractile parts 354 5 Parlinge Wor Contact (State) Heinghis



#### **Card File – Organization of Data & Cards**



SADPIT1 - Remote I	Desktop Connection	And the second s				
(MM) Change Item Revision - NJ, SDFC,						
Display Maintain Customize User Navigation Help						
efault 💌 🛛	🔛 🖉 🚄 🗞 🗞 🠺 🔆 🔯 🖊 🐴 🐚	ल के 🗞 🎸 🖓 😫 🖬 🖏 🗞 🛍 🖬 🖛 🕹				
FC DEFECTIVE - CREDIT Site: NJ Arrow Production Rev: Alt:						
)escription DEF	FECTIVE - CREDIT	Physical Characteristics	<u>G</u> eneral			
tem type 9 = L	User option 🗸 🥢	Stocking UM EA = EACH 🗸 🦯				
nventory code Misci	cellaneous 🗸 🦊	Unit weight 0.000 Height 0.000	Inventory Sales			
tem class \$DF0	FC = Defective Current Year 🛛 🗾 📰	Weight UM (blank) 🖌 🔚 Length 0.000	Costs			
/alue class C		Supplementary weight 0.0000 Width 0.000	<u>T</u> ranslations			
Department		Supplementary weight UM (blank) 🖌 📰 Inside diameter 0.000	Item Categories			
tem accounting class 0 = N	NON INVENTORY 🔽 🗐	Unit volume 0.000 Outside diameter 0.000	Item Characteristics			
itocking LIM	- FACH	Volume UM (blank) Impensional UM (blank) Impensional UM (blank) Impensional UM				
Default inventory status		Specific gravity 0.0000 Shape code				
Carrying rate .000	0					
Country of origin US =	= United States 🛛 👻 🗐					
tem bitmap or icon \$DF0	FC 💌 🔽					
/IRO item						
Weathing from data						
cirective from date 01/0	/01/1940	R9 Card File and Ca	rds are			
rrective to date		Replication				
Released: No	Lurrent	Replication destination Superior				
Released to PDM Yes						

- Equates to multiple menu screens in green screen. For example the 12 Green Screens of Item Master Information.
- Card file organizes all information in a specific record of data or Objects/Files in groups. R9 Data Organization is FAR SUPERIOR TO 7.7 and 7.8 !

### **Creating a Card**







### **Oracle Styles include:**

- Attribute cards holds the data fields in a file/object
- Overview cards graphical display of data on order, in BOM, etc.
- List cards subsets, views, sorts
- Compound cards attributes, graphs, lists on same card
- Graph cards Pie charts, bar graphs, etc
- Tabbed cards holds other cards



### **Customizing Attribute Cards**



- When customizing an attribute card, you can insert:
  - Blank lines
  - Headings over the field description
  - Headings over the data
- Column breaks allow for displays on both the right and left side of the card

(R7) Card Constant Field	
Text (blank line)	~
Format	
O Label Column	⊙ Data Column
0 Sumber of indents	
Continue Cancel Help	

(R7) Card Constant Field				
Text				
Cost Breakdown:				
Format Label Column	🔿 Data Column			
0 Sumber of indents				
Continue Cancel Help				



#### What is an attribute card?





#### What is a two-column card?

C

EC

0

0



12:46 PM

9/1/2011

🔺 📣 🏴 🍐 📶 🔐

(YY) Change FG Item WH's -	- Warehouse: CL1 Item: ABB382647000-01	_		(YY) Edit Item Warehouse Card
<u>File D</u> isplay <u>M</u> aintain <u>C</u> usto	omize <u>N</u> avigation <u>H</u> elp			
ABCS_Mfg Item WH -	🧟 🗁 🥔 🖆 🗋 🦯 🦯 🚈 🐚 🙀 🗞 📚 🥞 🗞	6 🛛 🖉 🖉 🖪 🧟 🖀 🕏		E Item Warehouse Card
		-in a		Name Domain Security
ABB382047000-01 P	1 Real Ipp Assy Rn CET Por Columbia Plani	ling		ABCS_MRP Data State Public (none)
Order policy code:	G = Time periods of supply	No of Forecast Perds: 0	)	Card properties
Reschedule Frozen Zone:	0	oys / forecast Perd: 0	)	Tab label (same as name) ▼
Days supply per order:	0 -	Forecast code: 0		
Shrinkage factor:	.000	Combine Req'mnts:	)o not (	Available attributes
Minimum quantity:	0.000	Plan Exp Cust Orders: N	lo	Description
Maximum Qty:	0.000	Plan Cust Orders: 4	4 = No	Account number
Multiple Qty:	0.000	Per'd Interval Code: P	rint ful	Active record code Activity since last plan - planning (calculated)
Fixed Order Qty:	0.000	Mstr Lvl Print Cd:	Always	
Order point:	0.000	Max Nmbr of Lines/Nem: 1	l page	All By Object
Mfg Auto Rel Code:	0 -	Multi-source code:	none)	
Smoothing code:	No smoothing -	Incl Inv Balance:	• Yes	Selected attributes
Smoothing start date:		Demand Time Fence: 0		Description
Min Days to Reschedule:	0	Resource Nmbr:		Forecast quantity/period
Master Lvl Item Code:	Multiple source master level item -	Constrained part:	) Yes	<column break=""> Number of forecast periods</column>
Master Lvl Item Code:	Do not propagate forecast 🔹	Planned by:	MRP	Days / forecast period
Safety stock:	0.000	k		Combine requirements
Forecast Qty/Perd:	0			
				Save Save as Apply Cancel
Update	Cancel Help			

#### What is an overview card?



🜇 (R7) Customer Order - 1, 1, 10941					
<u>F</u> ile <u>D</u> isplay <u>M</u> aintain <u>C</u> ustomize <u>N</u> avigation <u>H</u> elp					
Overview card 🔽 🗩 🖓 🖓 🖆 🗋 🖉 🦧 🧏 🥵 🕵 🕵 🕄 💀 🖻 🖉					
1 Customer: 920001 Columbus Trailer Sales Order: CO 10941					
Oyerview					
Details: Customer Order Overview Details					
De D	ietails				
🕞 🕞 🚰 Sold-to: Columbus Trailer Sales Ship-to: *default - Columbus Trailer Sales 10	) = Entered Amount: 5,600,000.00 O				
COMMENTS					
800 Thank you					
Salesrep: 150 BILL Co	ommission: 0.00% Participation: 100.00%				
Whs: FDM FDM-TRLR-FLAT FDM-53 Foot Flatbed Trailer-To 200.000 EA 10	) = Open Base: 0.000 Net sales: 3,600				
1 Promise: 09/30/2007 Req: 09/30/2007 Mfg due: 09/27/2007 20	) = Open Ordered: 200.000 EA Shipp				
	view of optime record in D7				
Graphical View of entire record. In					
"Collapse"	and "Power-expand" for plu				
Continue Help ing out information					



#### What is a List Card?



<mark>∞ (R7) Customer Order - 1, 1, 10944</mark> File Display Maintain Customize Navigation Help	
Default 🔽 🔛 🖓 🖆 🗅 🖉 🖉 📬 😰 🖉 🛤 🔯 🖉 🖉 🗮 🔀 🔍 🔍 🔛 🔛	
1 Customer: 701 American Computing Order: CO 10944	
General         Pricing/Billing         Sold-to         Ship-to         Order Shipments           Comments         Order Totals         Print Options         Contract Accounting	
Commissions Line Items Holds Special Charges Overview	
Customer         Order         Item         Description         Whs         Quant         UM         Promise         Back         Net sales a         Line item status           701         CO         10944         1000         PC, 166 MHZ, DESKTOP         1         5.000         EA         10/04/         ******         16,000.000         Active           701         CO         10944         1100         PROCESSOR, 166 MHZ         1         5.000         EA         10/04/         ******         2,249.750         Active           701         CO         10944         1050         KIT, ACCESSORIES         1         5.000         EA         10/04/         ******         250.000         Active           701         CO         10944         NON         non inventory item         1         5.000         EA         10/04/         ******         250.000         Active           701         CO         10944         NON         non inventory item         1         5.000         EA         10/04/         ******         25.000         Active	88       
Lists item details (CO, PO, MO components, ope Use icons on right to maintain or see all details. there are bottom tabs -	erations, etc) Sometimes
C.O. Line Items Open Closed	
Continue Help	



#### What is a Tabbed Card?





#### Allows for multiple Tabs on the same card....like multiple List Cards on the same Card



#### What is a Graph Card ?





## What is a compound card?



DC Test-Graph

DC Test Compound

稱

66^

D

0

ì 

ROHS Compliant Flag

No

No.

#### 🖾 (AA) Item - M362-202 🛛 .053 Hollow Emi Gasket File Display Maintain Customize User Navigation Help 🔽 🖻 🖉 🛋 🗋 🦯 🌽 🛯 📾 🕼 🗠 🔺 陸 🔓 🗜 🍹 🎉 🗒 DC Test M362-202 .053 Hollow Emi Gasket -Current Cost-Vendor Name Vendor Item Number Primary Vendor Flag Current Cost Maintenance CHOMERICS I ... 10-04-21120-S6305 No. EFFECTIVE S... 46-1015-0064 No. Current material cost this-level 0.55000000 Current material cost - date last maintained 10/02/2011 For Item Types 0,1 or 2 with a Lead Time Code of 'P' only Current other 1 this-level 0.00000000 Current other 1 TL date last maintained (blank) Up to 4 Cards on a Compound Card – of any type !





## Ten Commandments of Customization CISTECH

- Only <u>super users</u> should have ability to create public customization. Others should have private.
- Consider a naming convention for public customization (no user names and clear descriptions, etc.).
- Rarely change defaults. Used to say never but sometimes makes sense to change "General" view.
- Limit use of private templates since defaulted fields are so important.
- Rename user fields, if you own Integrator.



#### **Ten Commandments of Customization**



- Take full advantage of setting preferences for all customization (views, subsets, sorts, card files, templates). In R7, use "Favorites" to filter views and subsets and R7 Presentation Schemes for visual data management.
- If procedure is to use templates, YOU MUST ALWAYS USE THE CORRECT TEMPLATE.
  - Defaults set in template will be missed.
  - Typically if you have used incorrect template, delete record and recreate using correct one—OR, look at template and change all the settings which should have been selected using the right template



#### **Ten Commandments of Customization**



- Place attributes needing entry near top of card and leave general information/defaulted settings near bottom. For views, place most important info near top in setup (on left on screen).
- Tie template to custom card file and set checks for "Return here to create another" and for "Preview before create" as needed.
- Always remember other groups need information from the records we create. Simplify for their inquiry/maintenance needs, too.



#### How Can I Leverage Power Link? CISTECH Quick-start



- 1 Day of general training on Power Link and Client Customization for your Team.
- ½-1 day with each process group (Procurement, Planning, etc) to tailor Browser Apps to streamline your workflow
- Result: at the end of the engagement, users have incorporated Power Link into their daily activities to become more productive.
   IMMEDIATE PAYBACK AND USER KNOWLEDGE!





# Thanks for joining us today!

